

兔抗 PAK2(Phospho-Ser141)多克隆抗体

中文名称: 兔抗 PAK2(Phospho-Ser141)多克隆抗体

英文名称: Anti-PAK2(Phospho-Ser141) polyclonal antibody

别 名: p21 (RAC1) activated kinase 2; PAK65; PAKgamma

相关类别: 一抗

抗 原: PAK2(Phospho-Ser141)

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The p21 activated kinases (PAK) are critical effectors that lin k Rho GTPases to cytoskeleton reorganization and nuclear si gnaling. The PAK proteins are a family of serine/threonine ki nases that serve as targets for the small GTP binding protei ns, CDC42 and RAC1, and have been implicated in a wide r ange of biological activities. The protein encoded by this ge ne is activated by proteolytic cleavage during caspase-media ted apoptosis, and may play a role in regulating the apopto
Applications:	tic events in the dying cell. WB
Name of antibody:	PAK2(Phospho-Ser141)
Immunogen:	Synthetic peptide of human PAK2
Full name:	p21 (RAC1) activated kinase 2
Synonyms:	PAK65; PAKgamma



SwissProt:	Q13177
WB Predicted band size:	58 kDa
WB Positive control:	HepG2 cells treated with Adriamycin (0.5uM, 24hours) and Jurkat cells treated with PMA (125ng/ml, 30mins)
WB Recommended dilution:	500-1000

