

兔抗 MERTK/TYRO3(Phospho-Tyr749/681) 多克隆抗体

中文名称： 兔抗 MERTK/TYRO3(Phospho-Tyr749/681) 多克隆抗体

英文名称： Anti-MERTK/TYRO3(Phospho-Tyr749/681) rabbit polyclonal antibody

别 名： MER; RP38; c-mer/BYK; Dtk; RSE; Sky; Tif

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： MERTK/TYRO3(Phospho-Tyr749/681)

反应种属： Human Mouse


标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene is a member of the MER/AXL/TYRO3 receptor kinase family and encodes a transmembrane protein with two fibronectin type-III domains, two Ig-like C2-type (immuno globulin-like) domains, and one tyrosine kinase domain. Mutations in this gene have been associated with disruption of the retinal pigment epithelium (RPE) phagocytosis pathway and onset of autosomal recessive retinitis pigmentosa (RP).
Applications:	WB, IHC
Name of antibody:	MERTK/TYRO3(Phospho-Tyr749/681)
Immunogen:	Peptide sequence around phosphorylation site of tyrosine 749/681(K-I-Y(p)-S-G) derived from Human MER/SKY .

Full name:	MER proto-oncogene, tyrosine kinase/TYRO3 protein tyrosine kinase
Synonyms :	MER; RP38; c-mer/BYK; Dtk; RSE; Sky; Tif
SwissProt:	Q12866/Q06418
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	110/97 kDa
WB Positive control:	NIH/3T3 cells lysates treated with EGF
WB Recommended dilution:	500-1000





上海纪宁

www.shjning.com

