

兔抗 PIP5K1C 多克隆抗体

中文名称: 兔抗 PIP5K1C 多克隆抗体

英文名称: Anti-PIP5K1C rabbit polyclonal antibody

别 名: LCCS3; PIPKIg_v4; PIP5Kgamma; PIP5K-GAMMA

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: PIP5K1C

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | This locus encodes a type I phosphatidylinositol 4-phosp hate 5-kinase. The encoded protein catalyzes phosphoryl ation of phosphatidylinositol 4-phosphate, producing ph osphatidylinositol 4,5-bisphosphate. This enzyme is foun d at synapses and has been found to play roles in endo cytosis and cell migration. Mutations at this locus have been associated with lethal congenital contractural syndr ome. Alternatively spliced transcript variants encoding different isoforms have been described. |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | PIP5K1C |
| Immunogen: | Synthetic peptide of human PIP5K1C |
| Full name: | phosphatidylinositol-4-phosphate 5-kinase, type I, gamm |



www.shjning.com

| | a |
|-----------------------------|---|
| Synonyms: | LCCS3; PIPKIg_v4; PIP5Kgamma; PIP5K-GAMMA |
| SwissProt: | O60331 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human liver cancer and Human brain |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 73 kDa |
| WB Positive control: | A431 and hela cells |
| WB Recommended dilution: | 500-2000 |







