

兔抗 SRC (Phospho-Tyr529)多克隆抗体

- 中文名称: 兔抗 SRC (Phospho-Tyr529)多克隆抗体
- 英文名称: Anti-SRC (Phospho-Tyr529) rabbit polyclonal antibody
- 别名: ASV; SRC1; c-SRC; p60-Src
- 相关类别: 一抗
- 储存: 冷冻 (-20℃) 避光
- 宿主: Rabbit
- 抗原: SRC (Phospho-Tyr529)
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	proto-oncogenic cytoplasmic tyrosine kinase of the SRC family. Highly expressed in certain fully differentiated cells such as neurons, platelets and macrophages. Phosphorylation of an activation loop tyrosine activates the enzyme; phosphorylation of a tyrosine in the C-terminus by Csk inhibits the enzyme.
Applications:	WB, IHC, IF
Name of antibody:	SRC (Phospho-Tyr529)
Immunogen:	Synthetic peptide of human SRC (Phospho-Tyr529)
Full name:	v-src sarcoma (Schmidt-Ruppin A-2) viral oncogene homolog (avian) (Phospho-Tyr529)
Synonyms :	ASV; SRC1; c-SRC; p60-Src
SwissProt:	P12931
IHC positive control:	Human breast carcinoma

IHC Recommend dilution:	50-100
WB Predicted band size:	60 kDa
WB Positive control:	HT29 cells untreated or treated with PMA
WB Recommended dilution:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution	100-200



