

兔抗 TAP2 多克隆抗体

中文名称:	兔抗 TAP2 多克隆抗体
英文名称:	Anti-TAP2 rabbit polyclonal antibody
别名:	APT2; PSF2; ABC18; ABCB3; PSF-2; RING11; D6S217E
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	TAP2
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance. This gene is located 7 kb telomeric to gene family member ABCB2.
Applications:	ELISA, WB
Name of antibody:	TAP2
Immunogen:	Synthetic peptide of human TAP2
Full name:	transporter 2, ATP-binding cassette, sub-family B (MDR/TAP)

Synonyms :	APT2; PSF2; ABC18; ABCB3; PSF-2; RING11; D6S217E
SwissProt:	Q03519
ELISA Recommended dilution:	1000-2000
WB Predicted band size:	76 kDa
WB Positive control:	Jurkat cells
WB Recommended dilution:	200-1000

