

## 兔抗 SLC25A13 多克隆抗体

中文名称: 兔抗 SLC25A13 多克隆抗体

英文名称: Anti-SLC25A13 rabbit polyclonal antibody

别 名: CTLN2; CITRIN; ARALAR2

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: SLC25A13

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene is a member of the mitochondrial carrier fam ily. The encoded protein contains four EF-hand Ca(2+) binding motifs in the N-terminal domain, and localizes to mitochondria. The protein catalyzes the exchange of aspartate for glutamate and a proton across the inner mitochondrial membrane, and is stimulated by calcium on the external side of the inner mitochondrial membrane. Mutations in this gene result in citrullinemia, type II . Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	SLC25A13
Immunogen:	Fusion protein of human SLC25A13



## www.shjning.com

Full name:	solute carrier family 25 (aspartate/glutamate carrier), me mber 13
Synonyms:	CTLN2; CITRIN; ARALAR2
SwissProt:	Q9UJS0
<b>ELISA</b> Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and human liver cancer
IHC Recommend dilution:	25-100
WB Recommended dilution:	500-2000
WB Positive control:	Hepg2, A172 and Raji cells
WB Predicted band size:	74 kDa





