

## 兔抗 TRAF5 多克隆抗体

中文名称: 兔抗 TRAF5 多克隆抗体

英文名称: Anti-TRAF5 rabbit polyclonal antibody

别 名: RNF84; MGC:39780

抗原: TRAF5

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	The scaffold protein encoded by this gene is a member of the tumor necrosis factor receptor-associated factor (T RAF) protein family and contains a meprin and TRAF ho mology (MATH) domain, a RING-type zinc finger, and tw o TRAF-type zinc fingers. TRAF proteins are associated wi th, and mediate signal transduction from members of the TNF receptor superfamily. This protein is one of the com ponents of a multiple protein complex which binds to tu mor necrosis factor (TNF) receptor cytoplasmic domains a nd mediates TNF-induced activation. Alternate transcriptio nal splice variants have been characterized.
Applications:	ELISA, WB, IHC
Name of antibody:	TRAF5
Immunogen:	Fusion protein of human TRAF5
Full name:	TNF receptor-associated factor 5



## www.shjning.com

Synonyms:	RNF84; MGC:39780
SwissProt:	O00463
<b>ELISA</b> Recommended dilution:	2000-5000
IHC positive control:	Human lung cancer and human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	64 kDa
WB Positive control:	Jurkat cells
WB Recommended dilution:	500-2000





