

兔抗 STARD5 多克隆抗体

中文名称: 兔抗 STARD5 多克隆抗体

英文名称: Anti-STARD5 rabbit polyclonal antibody

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: STARD5

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|------------------------------------|--|
| Background: | Cholesterol homeostasis is regulated, at least in part, by sterol regulatory element (SRE)-binding proteins (e.g., SREBP1; MIM 184756) and by liver X receptors (e.g., LXRA; MIM 602423). Upon sterol depletion, LXRs are inactive and SREBPs are cleaved, after which they bind promoter SREs and activate genes involved in cholesterol biosynthesis and uptake. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | STARD5 |
| Immunogen: | Synthetic peptide of human STARD5 |
| Full name: | StAR-related lipid transfer (START) domain containing 5 |
| SwissProt: | Q9NSY2 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human breast cancer |

| | |
|--------------------------|--------------------------|
| IHC Recommend dilution: | 40-150 |
| WB Predicted band size: | 24 kDa |
| WB Positive control: | Human fetal brain tissue |
| WB Recommended dilution: | 500-2000 |



